



# CCTV & VIDEO SOLUTIONS





**HIKVISION**<sup>®</sup>  
See Far, Go Further

CCTV Product Guide 2024



**HD-TVI DVRs**

<p><b>4 Channel HD-TVI/AHD/CVBS Mini 720p DVR</b></p>	<p><b>8 Channel HD-TVI/ AHD/CVBS Mini 720p DVR</b></p>	<p><b>16 Channel HD-TVI/AHD/CVBS Mini 720p DVR</b></p>	<p><b>16 Channel AcuSense DVR with Alarm I/Os and CVBS</b></p>	
				
<p><b>CD07</b> DS-7104HGHI-F1 <b>CD07-1</b> DS-7104HGHI-F1</p>	<p><b>CD08</b> DS-7108HGHI-F1 <b>CD08-1</b> DS-7108HGHI-F1</p>	<p><b>CD09</b> DS-7116HGHI-F1 <b>CD09-1</b> DS-7116HGHI-F1</p>	<p><b>CD15-2</b> iDS-7216HQHI-M1/S <b>CD15-3</b> DS-7216HQHI-K2</p>	
<ul style="list-style-type: none"> <li>• 4 Channel Video Input</li> <li>• Main Stream 720p</li> <li>• HDMI / VGA Video Outputs</li> <li>• Two-Way Audio</li> <li>• 12VDC</li> <li>• CD07-1 includes 1TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 8 Channel Video Input</li> <li>• Main Stream 720p</li> <li>• HDMI / VGA Video Outputs</li> <li>• Two-Way Audio</li> <li>• 12VDC</li> <li>• CD08-1 includes 2TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 16 Channel Video Input</li> <li>• Main Stream 720p</li> <li>• HDMI / VGA Video Outputs</li> <li>• Two-Way Audio</li> <li>• 12VDC</li> <li>• CD09-1 includes 3TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 16 Channel Video Input</li> <li>• Main Stream 1080p</li> <li>• HDMI, VGA &amp; CVBS Video Outputs</li> <li>• 8 Alarm Inputs - 4 Alarm outputs</li> <li>• No HDD Included</li> <li>• CD15-3 includes 4TB HDD</li> </ul>	
<p><b>8 Channel HD-TVI DVR 5MP / 3MP / 1080p / 720p</b></p>	<p><b>16 Channel HD-TVI DVR 5MP / 3MP / 1080p / 720p</b></p>	<p><b>4 Channel HD-TVI Turbo 4.0 DVR 1080p at 25FPS</b></p>	<p><b>8 Channel HD-TVI Turbo 4.0 DVR 1080p at 25FPS</b></p>	<p><b>16 Channel HD-TVI Turbo 4.0 DVR 1080p at 25FPS</b></p>
				
<p><b>CD19</b> iDS-7208HUHI-M1S (STD)/4A+8/4ALM <b>CD19-1</b></p>	<p><b>CD20</b> iDS-7216HUHI-M2/S <b>CD20-1</b> iDS-7216HUHI-M2/S</p>	<p><b>CD21</b> DS-7104HQHI-K1 <b>CD21-1</b> DS-7104HQHI-K1</p>	<p><b>CD22</b> DS-7108HQHI-K1 <b>CD22-1</b> DS-7108HQHI-K1</p>	<p><b>CD23</b> DS-7116HQHI-K1 <b>CD23-1</b> DS-7116HQHI-K1</p>
<ul style="list-style-type: none"> <li>• 8 Channel Video Input HD-TVI</li> <li>• Main Stream 1080p at 25FPS</li> <li>• Supports 2-ch 4MP IP Cameras</li> <li>• Two-Way Audio</li> <li>• 4 Alarm Inputs / 1 Alarm Output</li> <li>• CD19-1 includes 2TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 16 Channel Video Input HD-TVI</li> <li>• Main Stream 1080p at 25FPS</li> <li>• Supports 2-ch 4MP IP Cameras</li> <li>• Two-Way Audio</li> <li>• 16 Alarm Inputs / 4 Alarm Outputs</li> <li>• CD20-1 includes 4TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 4 Channel Video Input HD-TVI</li> <li>• Main Stream 1080p at 25FPS</li> <li>• Supports PIR Cameras</li> <li>• Supports 2-ch 4MP IP Cameras</li> <li>• Two-Way Audio</li> <li>• CD21-1 includes 1TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 8 Channel Video Input HD-TVI</li> <li>• Main Stream 1080p at 25FPS</li> <li>• Supports PIR Cameras</li> <li>• Supports 2-ch 4MP IP Cameras</li> <li>• Two-Way Audio</li> <li>• CD22-1 includes 2TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 16 Channel Video Input HD-TVI</li> <li>• Main Stream 1080p at 25FPS</li> <li>• Supports PIR Cameras</li> <li>• Supports 2-ch 4MP IP Cameras</li> <li>• Two-Way Audio</li> <li>• CD23-1 includes 4TB HDD</li> </ul>
<p><b>4 Channel AcuSense DVR 2ch False Alarm Reduction</b></p>	<p><b>8 Channel AcuSense DVR 4ch False Alarm Reduction</b></p>	<p><b>16 Channel AcuSense DVR 4ch False Alarm Reduction</b></p>	<p><b>16 Channel HD-TVI/AHD/CVBS/IP Tribrid DVR</b></p>	<p><b>32 Channel HD-TVI/AHD/CVBS/IP Tribrid DVR</b></p>
				
<p><b>CD24</b> iDS-7204HQHI-M1/S <b>CD24-1</b> iDS-7204HQHI-M1/S</p>	<p><b>CD25</b> iDS-7208HQHI-M1/S <b>CD25-1</b> iDS-7208HQHI-M1/S</p>	<p><b>CD26</b> iDS-7216HQHI-M2/S <b>CD26-1</b> iDS-7216HQHI-M2/S</p>	<p><b>CD132-2</b> DS-7316HQHI-K4 <b>CD132-3</b> DS-7316HQHI-K4</p>	<p><b>CD133</b> DS-7332HQHI-K4 <b>CD133-1</b> DS-7332HQHI-K4</p>
<ul style="list-style-type: none"> <li>• 4 Channel Video Input HD-TVI</li> <li>• Supports 2-ch False Alarm Reduction</li> <li>• Supports Turbo HD X Cameras</li> <li>• Supports 1-ch 4MP IP Cameras</li> <li>• Two-Way Audio</li> <li>• CD24-1 includes 1TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 8 Channel Video Input HD-TVI</li> <li>• Supports 4-ch False Alarm Reduction</li> <li>• Supports Turbo HD X Cameras</li> <li>• Supports 2-ch 4MP IP Cameras</li> <li>• Two-Way Audio</li> <li>• CD25-1 includes 2TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 16 Channel Video Input HD-TVI</li> <li>• Supports 4-ch False Alarm Reduction</li> <li>• Supports Turbo HD X Cameras</li> <li>• Supports 2-ch 4MP IP Cameras</li> <li>• Two-Way Audio</li> <li>• CD26-1 includes 4TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 16 Channel Video Input</li> <li>• Main Stream 720p/1080p</li> <li>• Supports HD-TVI/AHD/CVBS and IP Cameras</li> <li>• HDMI/VGA/CVBS Video Outputs</li> <li>• 4 Audio Input Channels / 2 Audio Outputs (RCA)</li> <li>• CD132-3 includes 3TB HDD</li> </ul>	<ul style="list-style-type: none"> <li>• 32 Channel Video Input</li> <li>• Main Stream 720p/1080p</li> <li>• Supports HD-TVI/AHD/CVBS and IP Cameras</li> <li>• HDMI/VGA/CVBS Video Outputs</li> <li>• 4 Audio Input Channels / 2 Audio Outputs (RCA)</li> <li>• CD133-1 includes 4TB HDD</li> </ul>

# Buy Online!

24-hour access to 4500+ products

It's as easy as

  
CLICK

  
CART






  
DELIVERED



**HD-TVI 1080p ECO CAMERAS**

<p><b>HD-TVI Fixed Covert Camera</b> 720p - Ultra Low Light - 2.8mm</p>	<p><b>HD-TVI Bullet Camera 1080p Eco</b> IR 20m - 2.8mm - IP66</p>	<p><b>HD-TVI Dome Camera 1080p Eco</b> IR 20m - 2.8mm - IP66</p>	<p><b>HD-TVI Plastic Bullet Camera</b> 720p IR 20m - 2.8mm - IP66</p>	<p><b>HD-TVI Bullet Camera 1080p</b> IR 20m - 2.8mm - IP66</p>
 <p><b>CC334</b> DS-2CS54C8T-PH</p> <ul style="list-style-type: none"> <li>• Fixed Covert Camera</li> <li>• HD-TVI Output</li> <li>• 720p</li> <li>• 2.8mm Fixed Lens</li> <li>• Ultra Low Light</li> <li>• True 120dB WDR</li> </ul>	 <p><b>CC376-5</b> DS-2CE16D0T-IF</p> <ul style="list-style-type: none"> <li>• Bullet Camera</li> <li>• HD-TVI Output</li> <li>• 1080p</li> <li>• 20m IR Illumination</li> <li>• 2.8mm Fixed Lens</li> <li>• IP66</li> </ul>	 <p><b>CC386-5</b> DS-2CE56D0T-IF <b>CC386-6</b> DS-2CE56C0T-IRPF</p> <ul style="list-style-type: none"> <li>• Dome Camera</li> <li>• HD-TVI Output</li> <li>• 1080p</li> <li>• 20m IR Illumination</li> <li>• 2.8mm Fixed Lens</li> <li>• IP66</li> <li>• <b>CC386-6 720P</b></li> </ul>	 <p><b>CC376-6</b> DS-2CE16C0T-IRPF</p> <ul style="list-style-type: none"> <li>• Plastic Bullet Camera</li> <li>• HD-TVI Output</li> <li>• 720p</li> <li>• 20m IR Illumination</li> <li>• 2.8mm Fixed Lens</li> <li>• IP66</li> </ul>	 <p><b>CC376-2</b> DS-2CE16D0T-IRF</p> <ul style="list-style-type: none"> <li>• Bullet Camera</li> <li>• HD-TVI Output</li> <li>• 1080p</li> <li>• 20m IR Illumination</li> <li>• 2.8mm Fixed Lens</li> <li>• IP66</li> </ul>

**HD-TVI 1080p CAMERAS**

<p><b>HD-TVI Dome Camera 1080p</b> IR 20m - 2.8mm - IP66</p>	<p><b>HD-TVI EXIR Bullet Camera 1080p</b> IR 40m - 3.6mm - IP66</p>	<p><b>HD-TVI Bullet Camera 1080p</b> IR 40m - VF 2.8-12mm - IP66</p>	<p><b>HD-TVI EXIR Turret Camera 1080p</b> IR 40m - 3.6mm - IP66</p>	<p><b>HD-TVI Turret Camera 1080p</b> IR 40m - VF 2.8-12mm</p>
 <p><b>CC386-1</b> DS-2CE56D0T-IRMF <b>CC386-2</b> DS-2CE56D0T-IRMF</p> <ul style="list-style-type: none"> <li>• Dome Camera (Metal)</li> <li>• 1080p</li> <li>• 20m IR Illumination</li> <li>• 2.8mm Fixed Lens</li> <li>• IP66</li> <li>• <b>CC386-2 3.6mm Fixed Lens</b></li> </ul>	 <p><b>CC377</b> DS-2CE17D0T-IT3F <b>CC377-1</b> DS-2CE16D3T-IT3F</p> <ul style="list-style-type: none"> <li>• EXIR Bullet Camera</li> <li>• HD-TVI Output</li> <li>• 1080p</li> <li>• 40m IR Illumination</li> <li>• 3.6mm Fixed Lens</li> <li>• IP66</li> <li>• <b>CC377-1 • 2.8mm Fixed Lens</b></li> <li>• <b>50m IR Illumination • IP67</b></li> </ul>	 <p><b>CC379</b> DS-2CE16D0T-VFIR3F</p> <ul style="list-style-type: none"> <li>• Bullet Camera</li> <li>• HD-TVI Output</li> <li>• 1080p</li> <li>• 40m IR Illumination</li> <li>• 2.8-12mm Varifocal Lens</li> <li>• IP66</li> </ul>	 <p><b>CC387</b> DS-2CE56D0T-IT3F <b>CC387-1</b> DS-2CE78D3T-IT3F</p> <ul style="list-style-type: none"> <li>• EXIR Turret Camera</li> <li>• HD-TVI Output</li> <li>• 1080p</li> <li>• 40m IR Illumination</li> <li>• 3.6mm Fixed Lens</li> <li>• IP66</li> <li>• <b>CC387-1</b></li> <li>• <b>50m IR Illumination • IP67</b></li> </ul>	 <p><b>CC388-1</b> DS-2CE56D0T-VFIR3F</p> <ul style="list-style-type: none"> <li>• Turret Dome Camera</li> <li>• HD-TVI Output</li> <li>• 1080p</li> <li>• 40m IR Illumination</li> <li>• 2.8-12mm Varifocal Lens</li> <li>• Indoor Camera</li> </ul>

**TURBO HD X 1080p CAMERAS 4 IN 1**

<p><b>Turbo HD X Bullet Camera 1080p</b> IR 40m - 2.8mm - IP67</p>	<p><b>Turbo HD X Dome Camera 1080p</b> IR 20m - 2.8mm - IP67</p>	<p><b>HD-TVI ColorVu Bullet Camera 1080p</b> - 2.8mm Fixed Lens Incl PIR Detection, Strobe &amp; Siren</p>	<p><b>HD-TVI ColorVu Mini Bullet Camera 1080p</b> 2.8mm Fixed Lens</p>	<p><b>HD-TVI ColorVu Turret Camera 1080p</b> - 2.8mm Fixed Lens Incl PIR Detection, Strobe &amp; Siren</p>
 <p><b>CC376-7</b> DS-2CE12D0T-PIRXF</p> <ul style="list-style-type: none"> <li>• Bullet Camera</li> <li>• 1080p</li> <li>• Includes PIR Detection, Strobe and Siren</li> <li>• 40m IR Illumination</li> <li>• 2.8mm Fixed Lens</li> <li>• IP67</li> </ul>	 <p><b>CC386-7</b> DS-2CE72D0T-PIRXF</p> <ul style="list-style-type: none"> <li>• Dome Camera</li> <li>• 1080p</li> <li>• Includes PIR Detection, Strobe and Siren</li> <li>• 20m IR Illumination</li> <li>• 2.8mm Fixed Lens</li> <li>• IP67</li> </ul>	 <p><b>CC376-8</b> DS-2CE12DF3T-PIRXOS</p> <ul style="list-style-type: none"> <li>• ColorVu Bullet Camera</li> <li>• 24 Hour Colour Video</li> <li>• Includes PIR Detection, Strobe and Siren</li> <li>• 40m Visible Light Range</li> <li>• 2.8mm Fixed Lens</li> <li>• IP67</li> </ul>	 <p><b>CC376-9</b> DS-2CE10DF3T-PF</p> <ul style="list-style-type: none"> <li>• ColorVu Bullet Camera</li> <li>• 24 Hour Colour Video</li> <li>• 1080p</li> <li>• 20m Visible Light Range</li> <li>• 2.8mm Fixed Lens</li> <li>• IP67</li> </ul>	 <p><b>CC386-8</b> DS-2CE72DF3T-PIRXOS</p> <ul style="list-style-type: none"> <li>• ColorVu Turret Camera</li> <li>• 24 Hour Colour Video</li> <li>• Includes PIR Detection, Strobe and Siren</li> <li>• 20m Visible Light Range</li> <li>• 2.8mm Fixed Lens</li> <li>• IP67</li> </ul>

<p><b>HD-TVI ColorVu Turret Camera 1080p</b> 2.8mm Fixed Lens</p>	<p><b>HD-TVI ColorVu Turret Camera 1080p</b> 2.8mm Fixed Lens</p>	<div style="text-align: center;"> <h1>The best meets the next.</h1>  <p>Hikvision ColorVu Cameras with AcuSense Technology!</p> </div>
 <p><b>CC386-9</b> DS-2CE72DF0T-PF</p> <ul style="list-style-type: none"> <li>• ColorVu Turret Camera</li> <li>• 24 Hour Colour Video</li> <li>• 1080p</li> <li>• 20m Visible Light Range</li> <li>• 2.8mm Fixed Lens</li> <li>• Indoor Camera</li> </ul>	 <p><b>CC376-10</b> DS-2CE10DF3T-PF <b>CC376-12</b> DS-2CE12DF3T-F</p> <ul style="list-style-type: none"> <li>• ColorVu Bullet Camera</li> <li>• 24 Hour Colour Video</li> <li>• 1080p</li> <li>• 20m Visible Light Range</li> <li>• 2.8mm Fixed Lens</li> <li>• IP67</li> <li>• <b>CC376-12 40m Visible Light Range</b></li> </ul>	

**HD-TVI 5 MEGA PIXEL CAMERAS**

**HD-TVI PTZ**

**HD-TVI EXIR Bullet Camera 5MP**  
IR 30m - 2.8mm Fixed - IP67



**CC268** DS-2CE16H8T-ITF

- EXIR Bullet Camera
- HD-TVI Output
- 5 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67

**HD-TVI EXIR Bullet Camera 5MP**  
IR 80m - VF 2.7-13.5mm Motorised



**CC268-1** DS-2CE19H8T-AIT3ZF

- EXIR Bullet Camera
- HD-TVI Output
- 5 Megapixel
- 80m IR Illumination
- 2.7 - 13.5mm Motorised Varifocal Lens
- IP67

**HD-TVI EXIR Turret Camera 5MP**  
IR 30m - 2.8mm Fixed - IP67



**CC269** DS-2CE76H8T-ITMF

- EXIR Turret Camera
- HD-TVI Output
- 5 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67

**HD-TVI EXIR Dome Camera 5MP**  
IR 60m - VF 2.7-13.5mm Motorised



**CC269-1** DS-2CE56H8T-AITZF

- EXIR Dome Camera
- HD-TVI Output
- 5 Megapixel
- 60m IR Illumination
- 2.7 - 13.5mm Motorised Varifocal Lens
- Indoor Camera

**HD-TVI PTZ Camera 1080p**  
IR 100m 25X OZ - IP66



**CC98-3** DS-2AE4225TI-D

- PTZ Camera
- HD-TVI and CVBS Output
- 1080p
- 100m IR Illumination
- 25X Optical Zoom
- IP66

**NVRs**

**4 Channel Mini NVR 40Mbps - with 4 PoE**



**CD61** DS-7104NI-Q1/4P

**CD61-1** DS-7104NI-Q1/4P

- 4 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 40Mbps
- 4 PoE Ports
- Two-Way Audio
- CD61-1 includes 1TB HDD

**8 Channel Mini NVR 60Mbps - with 8 PoE**



**CD62** DS-7108NI-Q1/8P

**CD62-1** DS-7108NI-Q1/8P

- 8 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 60Mbps
- 8 PoE Ports
- Two-Way Audio
- CD62-1 includes 2TB HDD

**4 Channel Mini NVR 40Mbps - No PoE**



**CD64** DS-7104NI-Q1

**CD64-1** DS-7104NI-Q1

- 4 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 40Mbps
- No PoE Ports
- Two-Way Audio
- CD64-1 includes 1TB HDD

**8 Channel Mini NVR 60Mbps - No PoE**



**CD65** DS-7108NI-Q1

**CD65-1** DS-7108NI-Q1

- 8 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 60Mbps
- No PoE Ports
- Two-Way Audio
- CD65-1 includes 2TB HDD

**8 Channel NVR - 80Mbps with 8 PoE - 2 SATA Bays**



**CD70-4** DS-7608NI-K2/8P

**CD70-5** DS-7608NI-K2/8P

**CD70-6** DS-7608NI-K2/8P

- 8 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 80Mbps
- 8 PoE Ports
- Two-Way Audio
- CD70-5 includes 2TB HDD
- CD70-6 includes 4TB HDD

**8 Channel NVR 80Mbps with No PoE Alarm IOs**



**CD71-4** DS-7608NI-K2

**CD71-5** DS-7608NI-K2

- 8 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 80Mbps
- No PoE Ports
- 4 Alarm Inputs / 1 Alarm output
- CD71-5 includes 3TB HDD

**16 Channel NVR 160Mbps with No PoE Alarm IOs**



**CD72-4** DS-7616NI-K2

**CD72-5** DS-7616NI-K2

- 16 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 160Mbps
- No PoE Ports
- 4 Alarm Inputs / 1 Alarm output
- CD72-5 includes 3TB HDD

**32 Channel NVR 320Mbps with No PoE 9600 Series**



**CD74** iDS-9632NXI-I8/S

**CD74-1** iDS-9632NXI-I8/S

- 32 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 320Mbps
- No PoE Ports
- 16 Alarm Inputs / 4 Alarm outputs
- CD74-1 includes 3TB HDD

**16 Channel NVR 160Mbps with No PoE 2 SATA Bays**



**CD75** DS-7616NI-I2

**CD75-1** DS-7616NI-I2

- 16 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 160Mbps
- No PoE Ports
- 4 Alarm Inputs / 1 Alarm output
- CD75-1 includes 3TB HDD

**16 Channel NVR 160Mbps with 16 PoE Alarm IOs**



**CD76-9** DS-7616NI-K2/16P

**CD76-3** DS-7616NI-K2/16P

**CD76-12** DS-7616NI-K2/16P

- 16 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 160Mbps
- 16 PoE Ports
- 4 Alarm Inputs / 1 Alarm output
- CD76-3 includes 3TB HDD
- CD76-12 includes 12TB HDD

**ACUSENSE NVRs**

**16 Channel NVR 160Mbps with 16 PoE Eco Version**



**CD76-10** DS-7616NI-Q2/16P

**CD76-11** DS-7616NI-Q2/16P

- 16 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 160Mbps
- 16 PoE Ports
- Two-Way Audio
- CD76-11 includes 3TB HDD

**64 Channel NVR 320Mbps with no PoE 8 SATA bays**



**CD77** DS-9664NI-I8/S

**CD77-1** DS-9664NI-I8/S

- 64 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 320Mbps
- No PoE Ports
- Two-Way Audio
- CD77-1 includes 4TB HDD

**16 Channel AcuSense NVR 160Mbps with No PoE - 4 False Alarm Filtering**



**CD90** DS-7716NXI-I4/S

**CD90-1** DS-7732NXI-I4/4S

- 16 Channel Video Inputs
- AcuSense NVR
- Incoming Bandwidth 256Mbps
- No PoE
- 4 False Alarm Filtering Channels
- 4 SATA Bays
- No HDD Included
- CD90-1 256Mbps



**ACUSENSE NVRs**

**32 Channel AcuSense NVR**  
256Mbps with No PoE  
4 False Alarm Filtering  
Channels 4 SATA Bays



**CD91** DS-7732NXI-I4/S  
**CD91-1** DS-7732NXI-I4/S

- 32 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 256Mbps
- 4 False Alarm Filtering Channels
- No PoE Ports
- 4 SATA Bays
- CD91-1 includes 3TB HDD

**16 Channel AcuSense NVR**  
160Mbps with 16 PoE Ports  
4 False Alarm Filtering  
Channels 4 SATA Bays



**CD92** DS-7716NXI-I4/16P/S  
**CD92-1** DS-7716NXI-I4/16P/S

- 16 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 160Mbps
- 4 False Alarm Filtering Channels
- 16 PoE Ports
- 4 SATA Bays
- CD92-1 includes 3TB HDD

**32 Channel AcuSense NVR**  
256Mbps with 16 PoE Ports  
4 False Alarm Filtering  
Channels 4 SATA Bays



**CD93** DS-7732NXI-I4/16P/S  
**CD93-1** DS-7732NXI-I4/16P/S

- 32 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- Incoming Bandwidth 256Mbps
- 4 False Alarm Filtering Channels
- 16 PoE Ports
- 4 SATA Bays
- CD93-1 includes 3TB HDD

**DEEPMIND NVRs**

**16 Channel DeepInMind NVR**  
320Mbps with no PoE  
8 SATA bays



**CD94** iDS-9616NXI-I8/X

- 16 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- 8 Facial Recognition Channels
- No PoE Ports
- 8 SATA Bays
- 16 Alarm Inputs / 4 Alarm Outputs
- Special order

**32 Channel DeepInMind NVR**  
320Mbps with no PoE  
16 Facial Recognition Channels  
8 SATA bays



**CD95** iDS-9632NXI-I8/S

- 32 Channel IP Video Inputs
- HDMI/VGA Video Outputs
- 16 Deep Learning Channels
- No PoE Ports
- 8 SATA Bays
- 16 Alarm Inputs / 4 Alarm Outputs
- Special order

**IP CAMERAS - 2 LINE**

**2MP Mini Dome Camera**  
IR 30mb Built in MIC  
2.8mm Fixed Lens



**CC407-2** DS-2CD2526G2-IS

- IP Mini Dome Camera
- 120db WDR
- 2 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP66

**2MP Mini Bullet Camera**  
IR 30m - 2.8mm Fixed Lens  
EasyIP 1.0+



**CC400** DS-2CD2021G1-I

- IP Mini Bullet Camera
- EasyIP 1.0+
- 2 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67

**2MP Dome Camera**  
IR 30m - 2.8mm Fixed Lens  
EasyIP 1.0+



**CC400-1** DS-2CD2121G0-I

- IP Mini Dome Camera
- EasyIP 1.0+
- 2 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens • IP67
- **CC401-1 40m IR Illumination**

**2MP Bullet Camera**  
IR 60m - MVF 2.8-12mm Lens  
EasyIP 1.0+



**CC401** DS-2CD2621G0-IZS

- IP Bullet Camera
- EasyIP 1.0+
- 2 Megapixel
- 60m IR Illumination
- 2.8-12mm Motorised Varifocal Lens
- IP67"

**2MP AcuSense Dome Camera**  
IR 30m 4mm Fixed Lens  
IP67 - IK10



**CC408-6** DS-2CD2126G2-ISU

- IP AcuSense Dome Camera
- 120db WDR
- 2 Megapixel
- 30m IR Illumination
- 4mm Fixed Lens
- IP67

**2MP AcuSense Dome Camera**  
IR 30m - MVF 2.8-12mm Lens  
IP67 - IK10



**CC408-9** DS-2CD2726G2-IZS

- IP AcuSense Dome Camera
- 120db WDR
- 2 Megapixel
- 30m IR Illumination
- 2.8 - 12mm Motorised Varifocal Lens
- IP67 - IK10

**2MP Dome Camera**  
IR 30m - MVF 2.8-12mm Lens  
IP67 - IK10 - BLACK



**CC408-9B** DS-2CD2725FWD-IZS

- Black IP Dome Camera
- 120db WDR
- 2 Megapixel
- 30m IR Illumination
- 2.8 - 12mm Motorised Varifocal Lens
- IP67 - IK10

**2MP AcuSense Dome Camera**  
IR 30m - 2.8mm Fixed Lens  
IP67 - IK10



**CC408-11** DS-2CD2126G2-ISU

- IP AcuSense Dome Camera
- 120db WDR
- 2 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67 - IK10

**2MP Dome Camera**  
IR 30m - 2.8mm Fixed Lens  
IP67 - IK10 - BLACK



**CC408-11B** DS-2CD2125FWD-IS

- Black IP Dome Camera (Easy IP 3.0)
- 120db WDR
- 2 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67 - IK10

**2MP AcuSense Bullet Camera**  
IR 40m 4mm Fixed Lens  
IP67



**CC409-6** DS-2CD2026G2-I

- IP AcuSense Bullet Camera
- 120db WDR
- 2 Megapixel
- 40m IR Illumination
- 4mm Fixed Lens
- IP67

**2MP AcuSense Bullet Camera**  
IR 40m  
2.8mm Fixed Lens IP67



**CC409-16** DS-2CD2026G2-I

- IP Bullet Camera
- 120db WDR
- 2 Megapixel
- 40m IR Illumination
- 2.8mm Fixed Lens
- IP67

**2MP Bullet Camera**  
IR 30m - 2.8mm Fixed Lens  
IP67 - Black



**CC409-16B** DS-2CD2025FWD-I

- Black IP Bullet Camera (Easy IP 3.0)
- 120db WDR
- 2 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67

**2MP AcuSense WIFI Bullet Camera**  
IR 30m - 2.8mm Fixed Lens IP66



**CC409-W** DS-2CV2026G0-IDW

- AcuSense WIFI Bullet Camera
- Includes Siren, Siren and Two-way Audio
- 2 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP66

**2MP AcuSense Bullet Camera**  
IR 60m  
6mm Fixed Lens



**CC409-8** DS-2CD2126G2-2I

- IP AcuSense Bullet Camera
- 120db WDR
- 2 Megapixel
- 60m IR Illumination
- 6mm Fixed Lens • IP67
- **CC409-10 80m IR Illumination**

**2MP Bullet Camera**  
IR 60m - MVF 2.8  
2mm Lens IP67 - IK10



**CC410-2** DS-2CD2626G2-IZS

- IP AcuSense Bullet Camera (Easy IP 3.0)
- 120db WDR
- 2 Megapixel
- 60m IR Illumination
- 2.8-12mm Motorised Varifocal Lens
- IP67

**IP CAMERAS - 2 LINE**

**2MP Bullet Camera**  
IR 50m - MVF 2.8-12mm Lens  
IP67 - IK10 - BLACK



**CC410-2B** DS-2CD2625FWD-I-ZS

- Black IP Bullet Camera (Easy IP 3.0)
- 120db WDR
- 2 Megapixel
- 50m IR Illumination
- 2.8-12mm Motorised Varifocal Lens
- IP67-IK10

**5MP Fisheye Camera**  
IR 8m  
1.05mm Fixed Lens



**CC428-2** DS-2CD2955FWD-I

- IP Fisheye Camera (Easy IP 3.0)
- 120db WDR
- 5 Megapixel
- 8m IR Illumination
- 1.05mm Fixed Lens
- 180° Fisheye View
- No Dewarping available (1ch)

**2MP AcuSense Turret Camera**  
IR 30m - 2.8mm Fixed Lens  
IP67



**CC435-2** DS-2CD2326G2-I

- IP AcuSense Turret Camera
- 120db WDR
- 2 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67

**4MP AcuSense Turret Camera**  
IR 30m - 2.8mm Fixed Lens  
IP67



**CC435-3** DS-2CD2346G2-I

- IP AcuSense Turret Camera
- 120db WDR
- 4 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67

**4MP AcuSense Bullet Camera**  
IR 40m  
2.8mm Fixed Lens



**CC406** DS-2CD2046G2-IU/SL

- IP AcuSense Bullet Camera
- 120db WDR
- 4 Megapixel
- 40m IR Illumination
- 2.8mm Fixed Lens
- IP67

**4MP DARKFIGHTER**

**4MP AcuSense Bullet Camera**  
IR 50m  
6mm Fixed Lens



**CC406-1** DS-2CD2T26G2-2I

- IP AcuSense Bullet Camera
- 120db WDR
- 4 Megapixel
- 50m IR Illumination
- 6mm Fixed Lens
- IP67

**4MP AcuSense Bullet Camera**  
IR 80m  
6mm Fixed Lens



**CC406-2** DS-2CD2T46G2-4I

- IP AcuSense Bullet Camera
- 120db WDR
- 4 Megapixel
- 80m IR Illumination
- 6mm Fixed Lens
- IP67

**4MP AcuSense Bullet Camera**  
IR 60m  
MVF 2.8-12mm Lens



**CC406-3** DS-2CD2646G2-I-ZSU

- IP AcuSense Bullet Camera
- 120db WDR
- 4 Megapixel
- 60m IR Illumination
- 2.8-12mm Motorised Varifocal Lens
- IP66- IK10

**4MP AcuSense Mini Dome Camera**  
IR 30m - 2.8mm Fixed Lens  
Built in Mic - IP67



**CC407-5** DS-2CD2546G2-IS

- IP Mini Dome Camera
- 120db WDR
- 4 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67

**4MP AcuSense Dome Camera**  
IR 30m - 2.8mm Fixed Lens



**CC408-14** DS-2CD2146G2-ISU

**CC408-16** DS-2CD2146G2-ISU

- IP AcuSense Dome Camera
- 120db WDR
- 4 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67
- CC408-16 4mm Fixed Lens

**Hikvision 4K cameras**

**Beyond Resolution**

**IP CAMERAS - 2 LINE 8MP DARKFIGHTER**

**4MP AcuSense Dome Camera**  
IR 40m - MVF 2.8-12mm Lens



**CC408-15** DS-2CD2746G2-I-ZS

- IP AcuSense Dome Camera
- 120db WDR
- 4 Megapixel
- 40m IR Illumination
- 2.8-12mm Motorised Varifocal Lens
- IP66 + IK10

**8MP Bullet Camera**  
IR 30m - 4mm Fixed Lens  
IP67



**CC406-10** DS-2CD2085G1-I

- IP Bullet Camera
- 120db WDR
- 8 Megapixel
- 30m IR Illumination
- 4mm Fixed Lens
- IP67

**8MP AcuSense Bullet Camera**  
IR 50m - MVF 2.8-12mm Lens  
IP67 - IK10



**CC406-11** DS-2CD2686G2-I-ZS

- IP AcuSense Bullet Camera
- 120db WDR
- 8 Megapixel
- 50m IR Illumination
- 2.8-12mm Motorised Varifocal Lens
- IK10

**8MP EXIR Bullet Camera**  
IR 80m - 6mm Fixed Lens  
IP67



**CC406-12** DS-2CD2T85G1-I8

- IP Bullet Camera
- 120db WDR
- 8 Megapixel
- 80m IR Illumination
- 6mm Fixed Lens
- IP67

**8MP AcuSense Dome Camera**  
IR 30m - 2.8mm Fixed Lens  
IP67



**CC408-20** DS-2CD2186G2-I

- IP AcuSense Dome Camera
- 120db WDR
- 8 Megapixel
- 30m IR Illumination
- 2.8mm Fixed Lens
- IP67

**8MP Dome Camera**  
IR 30m - MVF 2.8-12mm Lens  
IP66 - IK10



**CC408-21** DS-2CD2785G0-I-ZS

- IP Dome Camera
- 120db WDR
- 8 Megapixel
- 30m IR Illumination
- 2.8-12mm Motorised Varifocal Lens
- IP66 - IK10

**2MP AcuSense Bullet Camera**  
2.8mm Fixed Lens



**CC409-AS** DS-2CD2026G2-IU/SL

- IP AcuSense Bullet Camera
- False Alarm Filter by Target Classification
- 2 Megapixel
- 40m IR Illumination
- 2.8mm Fixed Lens
- IP67

**2MP AcuSense Bullet Camera**  
6mm Fixed Lens - IP67 Strobe & Siren



**CC409-2TAS** DS-2CD2T26G2-ISU/SL

**CC409-4TAS** DS-2CD2T46G2-ISU/SL


- Bullet Camera
- 2MP Resolution
- AcuSense Technology
- 60m IR Illumination
- 6mm Fixed Lens
- IP67
- CC409-4TAS 4MP & 4mm Lens

**IP CAMERAS - 2 LINE COLORVU**






<p><b>2MP AcuSense Bullet Camera</b> MVF2.8-12mm Lens IP66 Strobe &amp; Siren</p>	<p><b>2MP ColorVu/AcuSense Bullet Camera</b> 4mm Fixed Lens - IP67</p>	<p><b>4MP ColorVu/AcuSense Bullet Camera</b> 4mm Fixed Lens - IP67</p>
		
<p><b>CC410-AS</b> DS-2CD2626G2-IZSU/SL</p> <ul style="list-style-type: none"> <li>• IP AcuSense Bullet Camera</li> <li>• False Alarm Filter by Target Classification</li> <li>• 2 Megapixel</li> <li>• 60m IR Illumination</li> <li>• 2.8-12mm Motorized Varifocal Lens</li> <li>• IP66 - IK10</li> </ul>	<p><b>CC409-14</b> DS-2CD2T27G2-L</p> <ul style="list-style-type: none"> <li>• IP ColorVu/AcuSense Bullet Camera</li> <li>• 24 Hour Colour Video</li> <li>• 60m Visible Light Range</li> <li>• 2 Megapixel</li> <li>• 4mm Fixed Lens</li> <li>• IP67</li> </ul>	<p><b>CC409-15</b> DS-2CD2T47G2-L</p> <ul style="list-style-type: none"> <li>• IP ColorVu/AcuSense Bullet Camera</li> <li>• 24 Hour Colour Video</li> <li>• 60m Visible Light Range</li> <li>• 4 Megapixel</li> <li>• 4mm Fixed Lens</li> <li>• IP67</li> </ul>
<p><b>IP CAMERAS - 6 LINE</b></p>		
<p><b>2MP ColorVu/AcuSense Mini Bullet Camera</b> 2.8mm Fixed Lens - IP67</p>	<p><b>4MP ColorVu Mini Bullet Camera</b> 2.8mm Fixed Lens - IP67</p>	<p><b>6MP Fisheye Camera</b> IR 15m - 1.27mm Fixed Lens IP66 - IK10</p>
		
<p><b>CC409-17</b> DS-2CD2027G2-L</p> <ul style="list-style-type: none"> <li>• IP ColorVu/AcuSense Bullet Camera</li> <li>• 24 Hour Colour Video</li> <li>• 40m Visible Light Range</li> <li>• 2 Megapixel</li> <li>• 2.8mm Fixed Lens</li> <li>• IP67</li> </ul>	<p><b>CC409-18</b> DS-2CD2047G2-L</p> <ul style="list-style-type: none"> <li>• IP ColorVu/AcuSense Bullet Camera</li> <li>• 24 Hour Colour Video</li> <li>• 40m Visible Light Range</li> <li>• 4 Megapixel</li> <li>• 2.8mm Fixed Lens</li> <li>• IP67</li> </ul>	<p><b>CC428-1</b> DS-2CD6365G0-IVS</p> <ul style="list-style-type: none"> <li>• IP Fisheye Camera</li> <li>• 360° Field of View</li> <li>• 6 Megapixel</li> <li>• 15m IR Illumination</li> <li>• 1.27mm Fixed Lens</li> <li>• IP66 - IK10</li> </ul>
<p><b>12MP Fisheye Camera</b> IR 15m - 2mm Fixed Lens IP66 - IK10</p>	<p><b>2MP Pinhole Camera</b> 3.7mm Fixed Lens - 2m Cable Length</p>	<p><b>Dual Lens People Counting Camera</b> 2.0mm Fixed Lens</p>
		
<p><b>CC428-4</b> DS-2CD63C2F-I</p> <ul style="list-style-type: none"> <li>• IP Fisheye Camera</li> <li>• 360° Field of View</li> <li>• 12 Megapixel</li> <li>• 15m IR Illumination</li> <li>• 2mm Fixed Lens</li> <li>• IP66 - IK10</li> <li>• Special order</li> </ul>	<p><b>CC439-2</b> DS-2CD6425G0-20</p> <ul style="list-style-type: none"> <li>• IP Pinhole Camera</li> <li>• 120db WDR</li> <li>• 2 Megapixel</li> <li>• 3.7mm Fixed Lens</li> <li>• 2m Cable Length</li> </ul>	<p><b>CC444</b> DS-2CD6825G0/C-IVS</p> <ul style="list-style-type: none"> <li>• People Counting Camera</li> <li>• 640 x 960 Resolution</li> <li>• Dual lens</li> <li>• 2.0mm Fixed Lens</li> <li>• iVMS Software required</li> </ul>

# Hikvision Varifocal Cameras with AcuSense Technology

Detects what other cameras won't.



**IP CAMERAS - 7 LINE**

<p><b>2MP Facial Capture Dome Camera</b> IR 30m IK10 - MVF 2.8-12mm Lens</p>	<p><b>2MP Facial Capture Dome Camera</b> IR 50m IK10 - MVF 8-32mm Lens</p>	<p><b>2MP Facial Capture Bullet Camera</b> IR 50m IP67 - MVF 2.8-12mm Lens</p>	<p><b>2MP Deep Learning ANPR Bullet Camera</b> IR 50m - MVF 2.8-12mm Lens IP67 - IK10</p>	<p><b>2MP Deep Learning ANPR Bullet Camera</b> IR 100m - MVF 8-32mm Lens IP67 - IK10</p>
				
<p><b>CC500</b> DS-2CD7126G0-IZS</p> <ul style="list-style-type: none"> <li>• IP Facial Capture Dome Camera</li> <li>• Requires Facial Recognition NVR</li> <li>• 2 Megapixel</li> <li>• 30m IR Illumination</li> <li>• 2.8-12mm Motorised Varifocal Lens</li> <li>• IK10</li> <li>• Special order</li> </ul>	<p><b>CC500-1</b> DS-2CD7126G0-IZS</p> <ul style="list-style-type: none"> <li>• IP Facial Capture Dome Camera</li> <li>• Requires Facial Recognition NVR</li> <li>• 2 Megapixel</li> <li>• 50m IR Illumination</li> <li>• 8-32mm Motorised Varifocal Lens</li> <li>• IK10</li> <li>• Special order</li> </ul>	<p><b>CC501</b> iDS-2CD7A26G0-IZS <b>CC501-1</b> iDS-2CD7A26G0-IZS</p> <ul style="list-style-type: none"> <li>• IP Facial Capture Bullet Camera</li> <li>• Requires Facial Recognition NVR</li> <li>• 2 Megapixel • 50m IR Illumination</li> <li>• 2.8-12mm Motorised Varifocal Lens</li> <li>• IK10 - IP67 • Special order</li> <li>• <b>CC501-1 8-32mm Motorised Varifocal Lens</b></li> </ul>	<p><b>CC513</b> DS-2CD7A26G0/P-IZS</p> <ul style="list-style-type: none"> <li>• IP Bullet Camera</li> <li>• 140db WDR</li> <li>• 2 Megapixel</li> <li>• Deep Learning ANPR</li> <li>• IR 50m Illumination</li> <li>• 2.8 - 12mm Motorised Varifocal Lens</li> <li>• IP67 - IK10</li> </ul>	<p><b>CC513-2</b> iDS-2CD7A26G0/P-IZHS</p> <ul style="list-style-type: none"> <li>• IP Bullet Camera</li> <li>• 140db WDR</li> <li>• 2 Megapixel</li> <li>• Deep Learning ANPR</li> <li>• IR 100m Illumination</li> <li>• 8 - 32mm Motorised Varifocal Lens</li> <li>• IP67 - IK10</li> </ul>

**IP CAMERAS - 7 LINE**

**2MP ANPR Bullet Camera - IR 50m - MVF 2.8-12mm Lens - IP67 WIEGAND**



**CC513-6** iDS-2CD7A26G0/P-IZHSY

- IP Bullet Camera with WIEGAND
- 140db WDR
- 2 Megapixel
- Deep Learning ANPR with WIEGAND
- IR 100m Illumination
- 2.8-12mm Motorised Varifocal Lens
- IP67

**4MP Smart Bullet Camera - IR 200m MVF 4.7-118mm Lens - IP67**



**CC515** iDS-2CD7A45G0/P-IZHS

- IP Bullet Camera
- 120db WDR
- 4 Megapixel
- Smart Analytics
- IR 200m Illumination
- 4.7-118mm Motorised Varifocal Lens
- IP67

**IP CAMERAS - 8 LINE**

**2MP Facial Recognition DeepInView Camera IR 10m - 4mm Fixed Lens**



**CC504** iDS-2CD8426G0/F-I

- IP Facial Recognition Camera
- Facial analytics built into Camera
- 2 Megapixel
- 10m IR Illumination
- 4mm Fixed Lens
- Requires PS02-1 PSU
- Special order

**4MP Facial Recognition Dome Camera IR 30m - MVF 8-32mm Lens**



**CC504-1** iDS-2CD8146G0-IZS

- IP Facial Recognition Dome Camera
- Facial analytics built into Camera
- 4 Megapixel
- IR 30m Illumination
- 8-32mm Motorised Varifocal lens
- IK 10
- Special order

**SOLAR POWERED CAMERA**

**4MP Solar Power Bullet Camera - Includes 4G Connectivity**



**CC700** DS-2XS2T41G0-ID/4G/C04S05

- Solar Powered Bullet Camera
- Up to 7 Days Battery Redundancy
- 4 Megapixel
- 5W Photovoltaic Solar Panel
- 10Ah Lithium Battery
- Built in PIR
- 4G Connectivity
- IP66

**IP CAMERAS - PANO VU**

**Mini PanoVu Network Camera 360° FOV - Including PTZ**



**CC475** DS-2PT3326IZ-DE3

- PanoVu Network Camera
- 360° FOV including PTZ
- Horizontal FOV: 128.5° X 3 Channels
- Vertical FOV: 75.7°
- 2 Megapixel
- IR 15m Illumination

**Mini PanoVu Network Camera 360° FOV - No PTZ**



**CC475-1** DS-2PT3306IZ-DE3

- PanoVu Network Camera
- 360° FOV no PTZ
- Horizontal FOV: 128.5° X 3 Channels
- Vertical FOV: 75.7°
- 2 Megapixel
- IR 10m Illumination

**AX-PRO**

**HIKVISION AX-PRO Panel Only - 868MHz - 64 Zones Maximum**



**CP400-P** DS-PWA64-L-WE

**CP400-1-P** DS-PWA96-M-WE

- Wireless Panel ONLY
- 868MHz
- Up to 64 Wireless Zones
- Built-In LAN, WIFI and GPRS
- 5000 Event Log
- CP400-1-P Up to 96 Wireless Zones

**INTRODUCING HIKVISION'S NEXT-GEN ALARMS!**  
AX PRO Wireless Series.

**HIKVISION AX-PRO Wireless Kit - 868MHz 64 Zones Maximum**



**CP400** DS-PWA64-KIT-WE

**CP400-1** DS-PWA96-KIT-WE

- Wireless Alarm Kit
- 868MHz
- Up to 64 Wireless Zones
- Built-in LAN, Wifi and GPRS
- Kit Includes: Panel, Keyfob, PIR and Door Contact
- 5000 event Log
- CP400-1 Up to 96 Wireless Zones

**HIKVISION AX-PRO Wireless Internal Sounder**



**CP402** DS-PS1-I-WE

- Wireless Internal Sounder
- 868MHz
- 3 Years Battery Life
- Includes LED Panel Status Indicator
- 110dB
- Uses 3 x CR123 Lithium Battery (BA31)

**HIKVISION AX-PRO Wireless Outdoor Sounder**



**CP402-1** DS-PS1-E-WE

- Wireless Outdoor Sounder
- 868MHz
- 3 Years Battery Life
- 110dB
- Uses 4 x CR123 Lithium Batteries (BA31)
- IP65

**HIKVISION AX-PRO Wireless LED Keypad**



**CP403** DS-PK1-E-WE

- Wireless LED Keypad
- 868MHz
- LED Indication of Programmed Area
- Output Control
- Indoor Use
- Uses 4 x AA Batteries (BA26-1)

**HIKVISION AX-PRO Wireless Tag Reader**



**CP404** DS-PT1-WE

- Wireless Tag Reader
- 868MHz
- LED Display
- Arm, Disarm and Stay Functionality
- Indoor Use
- Uses 3 x AA Batteries (BA26-1)

**HIKVISION AX-PRO Wireless Keyfob**



**CP405** DS-PKF1-WE

- Wireless Keyfob
- 868MHz
- Arm, Disarm and Stay Functionality
- Tri-Colour LED Indicator
- Uses 1 x CR2032 Battery (BA34-2)

**HIKVISION AX-PRO Tag**



**CP405-1** DS-PT-M1

- Tag
- White in Colour
- Arm, Disarm and Stay Functionality

**HIKVISION AX-PRO Wireless Universal Transmitter**



**CP406** DS-PM1-I1-WE

- Wireless Universal Transmitter
- 868MHz
- Small Design
- LED Display
- Tamper Input
- Uses 3 x CR123 Lithium Batteries (BA31)

**HIKVISION AX-PRO Wireless Multi I/O Transmitter**



**CP406-1** DS-PM1-I1602-WE

- Wireless Universal Transmitter
- 868MHz
- 16 Inputs and 2 Outputs
- 2 x 12VDC Power Outputs
- Supports Battery Back-up (12V 7Ah)
- 220VAC PSU

**HIKVISION AX-PRO Wireless Repeater**


















**CP407** DS-PR1-WE






- Wireless Repeater
- 868MHz
- Two-Way Communication
- LED Display
- Built in Lithium Battery (35 hour Back-up)
- Include 220VAC PSU



**AX - PRO**

<p><b>HIKVISION AX-PRO Wireless Relay Module</b></p>	<p><b>HIKVISION AX-PRO Wireless Smart Plug</b></p>	<p><b>HIKVISION AX-PRO Radio Connection Cable (FSK / RDC)</b></p>	<p><b>HIKVISION AX-PRO Wireless PIR Detector</b></p>	<p><b>HIKVISION AX-PRO Wireless Dual Tech PIR Detector</b></p>
				
<p><b>CP409 DS-PM1-O1L-WE</b> <b>CP409-1 DS-PM1-O1H-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Relay Module • 868MHz</li> <li>• 1 Relay Output (NO / NC)</li> <li>• Supports Scenarios</li> <li>• Smart Automation (IoT)</li> <li>• Controlled with APP, Keypad or Keyfob</li> <li>• CP400-1-P 1 Relay Output (NO / NC) - 220VAC 13A</li> </ul>	<p><b>CP409-2 DS-PSP1-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Smart Plug</li> <li>• 868MHz</li> <li>• Supports Scenarios</li> <li>• Smart Automation (IoT)</li> <li>• Controlled with APP, Keypad or Keyfob</li> </ul>	<p><b>CP410 DS-PWA-CABLE(O-STD)</b></p> <ul style="list-style-type: none"> <li>• Accessory Cable for Radio Connections</li> <li>• Used with Ax-Pro</li> <li>• Supports FSK and RDC</li> </ul>	<p><b>BD400 DS-PDP15P-EG2-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless PIR</li> <li>• 868MHz</li> <li>• Up to 30Kg Pet Immunity</li> <li>• Detection Range: 15m - 85.9°</li> <li>• Indoor Use</li> <li>• Uses 1 x CR123 Lithium Batteries (BA31)</li> </ul>	<p><b>BD400-1 DS-PDD12P-EG2-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless DT PIR</li> <li>• 868MHz</li> <li>• Up to 30Kg Pet Immunity</li> <li>• Dual Tech PIR (PIR + MW)</li> <li>• Indoor Use</li> <li>• Uses 2 x CR123 Lithium Batteries (BA31)</li> </ul>
<p><b>HIKVISION AX-PRO Wireless PIR-CAM Detector</b></p>	<p><b>HIKVISION AX-PRO Wireless Curtain Detector</b></p>	<p><b>HIKVISION AX-PRO Wireless Outdoor Dual Tech Detector</b></p>	<p><b>HIKVISION AX-PRO RF Camera Module</b></p>	<p><b>HIKVISION AX-PRO Internal Ceiling Mount PIR Bracket</b></p>
				
<p><b>BD400-2 DS-PDC12P-EG2-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless PIR-CAM Detector</li> <li>• 868MHz</li> <li>• Up to 30Kg Pet Immunity</li> <li>• Camera Built Into PIR for Visual Verification</li> <li>• Indoor Use</li> <li>• Uses 3 x CR123 Lithium Batteries (BA31)</li> </ul>	<p><b>BD400-3 DS-PDC10AM-EG2-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Curtain PIR</li> <li>• 868MHz</li> <li>• Detection Range: 15m - 6.3°</li> <li>• Indoor Use</li> <li>• Uses 1 x CR123 Lithium Batteries (BA31)</li> </ul>	<p><b>BD400-4 DS-PDTH15AM-LM-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Outdoor DT Detector</li> <li>• 868MHz</li> <li>• Detection Range: 15m - 90° (180° Adjustable)</li> <li>• Supports BD400-5 Camera Module</li> <li>• Uses 5 x CR123 Lithium Batteries (BA31)</li> <li>• IP65</li> </ul>	<p><b>BD400-5 DS-PDCM15PF-IR</b></p> <ul style="list-style-type: none"> <li>• RF Camera Module</li> <li>• Used with BD400-4 Outdoor Detector</li> <li>• 180° Adjustable (To Align with PIR)</li> <li>• Easy Installation with Plug to Enroll</li> <li>• 3D DNR</li> <li>• IP66</li> </ul>	<p><b>BD400-8 DS-PDB-IN-Ceilingbracket</b></p> <ul style="list-style-type: none"> <li>• Internal Ceiling Mount PIR Bracket</li> <li>• Supports Cabling and Back Tamper</li> <li>• Used with BD400, BD400-1 and BD400-2</li> </ul>
<p><b>HIKVISION AX-PRO Internal Wall Mount PIR Bracket</b></p>	<p><b>HIKVISION AX-PRO Wireless Water Leak Detector</b></p>	<p><b>HIKVISION AX-PRO Wireless Temperature Detector</b></p>	<p><b>HIKVISION AX-PRO Wireless Smoke Detector</b></p>	<p><b>HIKVISION AX-PRO Wireless Door Contact</b></p>
				
<p><b>BD400-9 DS-PDB-IN-Wallbracket</b></p> <ul style="list-style-type: none"> <li>• Internal Wall Mount PIR Bracket</li> <li>• Supports Cabling and Back Tamper</li> <li>• Used with BD400, BD400-1 and BD400-2</li> </ul>	<p><b>BD405 DS-PDWL-E-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Water Leak Detector</li> <li>• 868MHz</li> <li>• Environmental Monitoring</li> <li>• Water-Proof Design</li> <li>• Uses 1 x CR2450 Battery (BA34-5)</li> <li>• IP66</li> </ul>	<p><b>BD405-1 DS-PDTPH-E-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Temperature Detector</li> <li>• 868MHz</li> <li>• Environmental Monitoring</li> <li>• Large LED Display</li> <li>• Uses 12 x AAA Batteries (BA01)</li> <li>• Indoor Use</li> </ul>	<p><b>FR400 DS-PDSMK-S-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Smoke Detector</li> <li>• 868MHz</li> <li>• Environmental Monitoring</li> <li>• Photoelectric Sensor</li> <li>• Built-In Lithium Battery (10-Year Battery Life)</li> <li>• Indoor Use</li> </ul>	<p><b>MC400 DS-PDMC-EG2-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Door Contact</li> <li>• 868MHz</li> <li>• Uses 1 x CR123 Lithium Battery (BA31)</li> <li>• Indoor Use</li> </ul>

**MOBILE CAMERAS**

<p><b>HIKVISION AX-PRO Wireless Door Contact - Slim</b></p>	<p><b>HIKVISION AX-PRO Wireless Panic Button</b></p>	<p><b>HIKVISION AX-PRO 12V PSU Module</b></p>	<p><b>Hikvision 2MP DashCam with WIFI B1 Model</b></p>	<p><b>Hikvision 2MP DashCam with WIFI F6 Pro Model</b></p>
				
<p><b>MC400-1 DS-PDMC-S-EG2-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Door Contact</li> <li>• 868MHz</li> <li>• Slim Design</li> <li>• Uses 1 x CR123 Lithium Battery (BA31)</li> <li>• Indoor Use</li> </ul>	<p><b>SW400 DS-PDEB1-EG2-WE</b></p> <ul style="list-style-type: none"> <li>• Wireless Panic Button</li> <li>• 868MHz</li> <li>• Uses 1 x CR2450 Battery (BA34-5)</li> <li>• Indoor Use</li> </ul>	<p><b>PS400 DS-PM1-D</b></p> <ul style="list-style-type: none"> <li>• 12V PSU Module</li> <li>• Compatible with CP400 and CP400-1</li> <li>• 8-24VDC Range</li> </ul>	<p><b>CC140-1 AE-DC2015-B1</b></p> <ul style="list-style-type: none"> <li>• Dash Camera</li> <li>• 1080p Resolution</li> <li>• Supports 128GB SD Card</li> <li>• G-Sensor</li> <li>• Works with Hikvision Dash Camera APP</li> <li>• Auto Recording</li> </ul>	<p><b>CC140-2 AE-DC5013-F6 PRO</b></p> <ul style="list-style-type: none"> <li>• Dash Camera</li> <li>• 1080p Resolution</li> <li>• Supports 128GB SD Card</li> <li>• G-Sensor</li> <li>• Works with Hikvision Dash Camera APP</li> <li>• Auto Recording</li> </ul>

**IP PTZs**

<p><b>2MP Outdoor PTZ Camera</b> IR 50m 25X OZ</p>	<p><b>2MP PTZ Camera</b> IR 100m 25X OZ - IP66</p>	<p><b>2MP Outdoor PTZ Camera</b> IR 150m 25X OZ</p>	<p><b>2MP Outdoor PTZ Camera</b> IR 200m 25X OZ</p>	<p><b>8MP PTZ Camera</b> IR 200m - 36X OZ Ultra Low Light</p>
				
<p><b>CC466-2</b> DS-2DE4A225IW-DE</p>	<p><b>CC466-3</b> DS-2DE4225IW-DE</p>	<p><b>CC467</b> DS-2DE5225IW-AE</p>	<p><b>CC467-7</b> DS-2DE7225IW-AE</p>	<p><b>CC467-9</b> DS-2DF8C842IXS-AELW</p>
<ul style="list-style-type: none"> <li>• IP PTZ Camera</li> <li>• 4" PTZ</li> <li>• 2 Megapixel</li> <li>• 25X Optical Zoom</li> <li>• 50m IR Illumination</li> <li>• 12VDC &amp; PoE+</li> </ul>	<ul style="list-style-type: none"> <li>• IP PTZ Camera</li> <li>• 4" PTZ</li> <li>• 2 Megapixel</li> <li>• 25X Optical Zoom</li> <li>• 100m IR Illumination</li> <li>• 12VDC &amp; PoE+</li> </ul>	<ul style="list-style-type: none"> <li>• IP PTZ Camera</li> <li>• 5" PTZ</li> <li>• 2 Megapixel</li> <li>• 25X Optical Zoom</li> <li>• 150m IR Illumination</li> <li>• 24VAC or PoE+</li> </ul>	<ul style="list-style-type: none"> <li>• PTZ Camera</li> <li>• 2 Megapixel</li> <li>• 25X Optical Zoom</li> <li>• 24VAC or PoE+</li> <li>• 200m IR Illumination</li> <li>• IP66</li> </ul>	<ul style="list-style-type: none"> <li>• 4K (8MP) PTZ Camera</li> <li>• 8 Megapixel</li> <li>• Smart Track</li> <li>• 36X Optical Zoom</li> <li>• 200m IR Illumination</li> <li>• 24VAC or PoE+</li> <li>• Special order</li> </ul>
<p><b>2MP Darkfighter PTZ Camera</b> IR 400m - 42X OZ - IP67 - IK10 Smart Features</p>	<p><b>2MP Darkfighter X PTZ Camera</b> IR 200m - 25X OZ Ultra Low Light</p>	<p><b>2MP Darkfighter PTZ Camera</b> IR 200m - 25X OZ Ultra Low Light - IP67</p>	<p><b>8MP Ultra Low Light PTZ Camera - Laser IR</b> 500m 42X OZ - IP67</p>	<p><b>2MP Ultra Low Light PTZ Camera - Laser IR</b> 500m 42X OZ - ANPR - IP67</p>
				
<p><b>CC469-2</b> DS-2DF8242IX-AEL</p>	<p><b>CC469-4</b> DS-2DF8225IH-AEL</p>	<p><b>CC469-5</b> DS-2DF8225IX-AEL</p>	<p><b>CC469-8</b> DS-2DF8C842IXS-AELW(T5)</p>	<p><b>CC469-9</b> DS-2DF8242IX-AELW(T5)</p>
<p><b>CC469-7</b> DS-2DF8442IXS-AEL(T5)</p> <ul style="list-style-type: none"> <li>• IP Darkfighter PTZ Camera</li> <li>• 2 Megapixel (High Frame rate)</li> <li>• Smart Track and ROI</li> <li>• 42X Optical Zoom</li> <li>• 400m IR Illumination</li> <li>• 24VAC or PoE+</li> <li>• <b>CC469-7 4 Megapixel (High Frame rate)</b></li> </ul>	<ul style="list-style-type: none"> <li>• IP Darkfighter X PTZ Camera</li> <li>• 2 Megapixel</li> <li>• Smart Features</li> <li>• 25X Optical Zoom</li> <li>• 200m IR Illumination</li> <li>• 24VAC or PoE+</li> </ul>	<p><b>CC469-6</b> DS-2DF8425IX-AEL</p> <ul style="list-style-type: none"> <li>• IP Darkfighter PTZ Camera</li> <li>• 2 Megapixel</li> <li>• Smart Track and ROI</li> <li>• 25X Optical Zoom</li> <li>• 200m IR Illumination</li> <li>• 24VAC or PoE+</li> <li>• <b>CC469-6 4 Megapixel (High Frame rate) -IR 500m</b></li> </ul>	<ul style="list-style-type: none"> <li>• IP PTZ Camera</li> <li>• 8 Megapixel (High Frame rate)</li> <li>• Smart Features</li> <li>• 42X Optical Zoom</li> <li>• 500m Laser IR Illumination</li> <li>• 24VAC or PoE+</li> <li>• <b>Special order</b></li> </ul>	<ul style="list-style-type: none"> <li>• IP PTZ Camera</li> <li>• 2 Megapixel (High Frame rate)</li> <li>• Smart Features</li> <li>• 42X Optical Zoom</li> <li>• 500m Laser IR Illumination</li> <li>• 24VAC or PoE+</li> <li>• <b>Special order</b></li> </ul>

# Quick delivery across SA!



**CLICK**



**CART**



**DELIVERED**



**PTZ CONTROLLERS**

**ANALOGUE PTZ Keyboard Controller RS485 - RS422 - 12VDC**



**CC95-1 DS-1006KI**

- Analogue PTZ Controller
- RS485 or RS422
- 4-Axis Joystick
- 12VDC

**IP PTZ Keyboard Controller USB - VMS NVR - DVR**



**CC95-2 DS-1005KI**

- IP PTZ Controller
- Power and Communication via USB
- 3D PTZ Controller
- Used with VMS/NVR or DVR

**IP PTZ Keyboard Controller**



**CC95-6 DS-1100KI**

- IP PTZ Controller
- 7" TFT Touch Screen
- 3D PTZ Controller
- 12VDC

**Regal has been working hard on transformation**

We are now a B-BBEE Level 3 contributor

**THERMAL CAMERAS**

**Thermal Bullet Camera 10mm Lens - 384 x 288**



**CC350 DS-2TD2137-15/P**

- IP Thermal Bullet Camera
- Max Resolution 384 X 288
- 10mm Fixed Lens
- 1 Audio Input
- 2 Alarm Inputs / 2 Alarm Outputs
- 12VDC / PoE
- Special order

**Thermal Bullet Camera 25mm Lens - 384 x 288**



**CC351 DS-2TD2137-25/P**

- IP Thermal Bullet Camera
- Max Resolution 384 X 288
- 25mm Fixed Lens
- 1 Audio Input
- 2 Alarm Inputs / 2 Alarm Outputs
- 12VDC / PoE
- Special order
- CC351-1 35mm Fixed Lens

**Thermal Bullet Camera 15mm Lens - 640 x 512**



**CC352 DS-2TD2167-15/P**

- IP Thermal Bullet Camera
- Max Resolution 640 x 512
- 15mm Fixed Lens
- 1 Audio Input
- 2 Alarm Inputs / 2 Alarm Outputs
- 12VDC / PoE
- Special order
- CC353 25mm Fixed Lens

**Thermal Dual Lens Bullet Camera 25mm Lens - IR 40m**



**CC354 DS-2TD2637-25/P**

- IP Thermal Dual Lens Camera
- Max Resolution 384 X 288
- 25mm Fixed Lens
- 2 Alarm Inputs / 2 Alarm Outputs
- 24VDC / PoE
- 40m IR Illumination
- Special order

**Thermal Bullet Camera 75mm Lens - 384 x 288 - IP67**



**CC356 DS-2TD2367-75/P**

- Thermal Bullet Camera
- Max Resolution 640 X 512
- 75mm Fixed Lens
- 1 Audio Input
- 2 Alarm Inputs / 2 Alarm Outputs
- 12VDC / PoE
- Special order

**Thermal Dual Lens PT Camera 25mm IR 150m**



**CC358-1 DS-2TD4137-25/W**

- Thermal Dual Lens PT Camera
- Max Resolution 384 X 288
- 25mm Fixed Lens
- 7 Alarm Inputs / 2 Alarm Outputs
- 24VDC / PoE
- 150m IR Illumination
- Special order
- CC359-1 50mm Fixed Lens

**Thermal Dual Lens Eco Bullet Camera 6mm Lens - 256 x 192 - IP67**



**CC360 DS-2TD2628-10/QA**

- IP Thermal Dual Lens Eco Camera
- Max Resolution 256 x 192
- 7mm Fixed Lens
- 4MP Optical Camera
- Fusion View
- 12VDC / PoE
- CC360-1 10mm Fixed Lens

**Thermal Dual Lens Eco Bullet Camera 3mm Lens - 256 x 192 - IP66**



**CC361 DS-2TD1228-7/QA**

- IP Thermal Dual Lens Eco Camera
- Max Resolution 256 x 192
- 3mm Fixed Lens
- 4MP Optical Camera
- Fusion View
- 12VDC / PoE
- Special order
- CC361-1 7mm Fixed Lens

**HIKVISION Temp Screening Thermal Hand Held 6mm Fixed Lens - TP21**



**CC365 DS-2TP21B-6AVF/W**

- Hand Held Temp Screening Camera
- Dual Lens (Thermal & Optical)
- 0.5°C Accuracy
- WIFI
- 3.5" LCD Screen
- Supports Audio Alarm
- Special order

**HIKVISION Temp Screening Thermal Hand Held - 6mm Fixed Lens - TP31 - Cost Effective**








**CC365-CE DS-2TP31B-3AUF**

- Hand Held Temp Screening Camera
- Cost Effective
- 0.5°C Accuracy
- 160 x 120 Resolution
- Built-In Li-ion Battery
- 2.4" LCD Screen
- Special order


**Everyone's Thermal Cameras**






**Introducing the HeatPro Series Cameras.**






**TEMPERATURE SCREENING**

<p><b>HIKVISION</b> Temp Screening Black Box Calibrator</p>	<p><b>HIKVISION Temp Screening Thermal Bullet Camera</b> 384 x 288 - 13mm Fixed Lens</p>	<p><b>HIKVISION</b> Bullet Camera Tripod Adapter</p>	<p><b>HIKVISION</b> Tripod</p>	<p><b>HIKVISION</b> Temperature Screening Facial Terminal Unit</p>
				
<p><b>CC365-3</b> DS-2TE127-G4A</p>	<p><b>CC365-4</b> DS-2TD2636B-13/P(B)</p>	<p><b>CC365-5</b> DS-2909ZJ</p>	<p><b>CC365-7</b> DS-2907ZJ</p>	<p><b>LK460-3</b> DS-K1T671TM-3XF</p>
<ul style="list-style-type: none"> <li>• Black Body Calibrator</li> <li>• Supports High Accuracy Calibration</li> <li>• <b>Special order</b></li> </ul>	<ul style="list-style-type: none"> <li>• Temp Screening Thermal Bullet Camera</li> <li>• Max Resolution 384 x 288</li> <li>• 13mm Fixed Lens</li> <li>• Temperature Range: 30°C - 45°C</li> <li>• Accuracy 0.5°C</li> <li>• 12 VDC / PoE</li> <li>• <b>Special order</b></li> </ul>	<ul style="list-style-type: none"> <li>• Tripod Adapter for Bullet Cameras</li> <li>• Supports CC365-1 / CC365-2 / CC365-4</li> <li>• <b>Special order</b></li> </ul>	<ul style="list-style-type: none"> <li>• Tripod</li> <li>• <b>Special order</b></li> </ul>	<ul style="list-style-type: none"> <li>• Wall Mounted or LK460-3B / LK460-3D Stand</li> <li>• Facial Recognition, Mask Detection, Temp Screening</li> <li>• Temperature Range: 30°C - 45°C</li> <li>• Accuracy 0.5°C</li> <li>• 10,000 Event Capacity</li> <li>• Indoor Use ONLY</li> <li>• <b>Special order</b></li> </ul>






**IP & PTZ CAMERA BRACKETS**

<p><b>HIKVISION Temperature Screening Facial Terminal Unit</b> Cost Effective - A70</p>	<p><b>HIKVISION</b> Floor Stand for LK460-3 / LK460-3CE</p>	<p><b>HIKVISION Temp Screening Monitoring Tablet</b> for LK460-3 / LK460-3CE</p>	<p><b>HIKVISION</b> Walk Through Metal Detector with Temp Screening</p>	<p><b>Wall Mount Bracket for VF Dome White</b></p>
				
<p><b>LK460-3CE</b> DS-K1TA70MI-T</p>	<p><b>LK460-3B</b> DS-KAB671-B</p>	<p><b>LK460-3M</b> DS-K001</p>	<p><b>LK460-11</b> ISD-SMG318LT-D</p>	<p><b>CC198</b> DS-1273ZJ-135</p>
<ul style="list-style-type: none"> <li>• Wall Mounted or LK460-3B / LK460-3D Stand</li> <li>• Cost Effective Unit</li> <li>• Temperature Range: 30°C - 45°C</li> <li>• Accuracy 0.5°C</li> <li>• 10,000 Event Capacity</li> <li>• Indoor Use ONLY</li> <li>• <b>Special order</b></li> </ul>	<ul style="list-style-type: none"> <li>• Floor Stand for LK460-3 or LK460-3-CE Terminals</li> <li>• <b>LK460-3D Deak Stand</b></li> <li>• <b>Special order</b></li> </ul>	<ul style="list-style-type: none"> <li>• Monitoring Tablet for LK460-3 or LK460-3-CE</li> <li>• <b>Special order</b></li> </ul>	<ul style="list-style-type: none"> <li>• Metal Detector With Temp Screening</li> <li>• Temperature Range: 30°C - 45°C</li> <li>• Accuracy 0.5°C</li> <li>• People Counting Display</li> <li>• Non-Contact Device</li> <li>• <b>Special order</b></li> </ul>	<ul style="list-style-type: none"> <li>• Wall Mount Bracket</li> <li>• White</li> <li>• <b>CC198-1 Wall Mount Bracket for Dome White</b></li> </ul>














<p><b>Fisheye Pendant Bracket White</b></p>	<p><b>Fisheye Junction Box White</b></p>	<p><b>Angle Wall Mount Bracket for Mini Dome White</b></p>	<p><b>Wall Mount Bracket for VF Dome White with Junction Box</b></p>	<p><b>Wall Mount Bracket for VF Lens Dome White</b></p>
				
<p><b>CC198-3</b> DS-1271ZJ-DM25</p>	<p><b>CC198-4</b> DS-1280ZJ-DM25</p>	<p><b>CC198-5</b> DS-1272J-120</p>	<p><b>CC198-6</b> DS-1273ZJ-135B</p>	<p><b>CC198-9</b> DS-1473ZJ-155</p>
<ul style="list-style-type: none"> <li>• Fisheye Pendant Bracket</li> <li>• White</li> <li>• Used with CC428-1 and CC428-4 Cameras</li> </ul>	<ul style="list-style-type: none"> <li>• Fisheye Junction Box</li> <li>• White</li> <li>• Used with CC428-1 and CC428-4 Cameras</li> </ul>	<ul style="list-style-type: none"> <li>• Angle Wall Mount Bracket</li> <li>• White</li> <li>• Used with CC407-2 and CC407-5 Cameras</li> </ul>	<ul style="list-style-type: none"> <li>• Wall Mount Bracket</li> <li>• White</li> <li>• Used with CC408-9 / CC408-9B and CC408-15 Cameras</li> </ul>	<ul style="list-style-type: none"> <li>• Wall Mount Bracket</li> <li>• White</li> <li>• Used with CC408-15 Cameras</li> </ul>

<p><b>Mini Dome Junction Box White</b></p>	<p><b>EXIR Bullet Power Junction Box White</b></p>	<p><b>Bullet Junction Box White</b></p>	<p><b>Dome Junction Box White</b></p>	<p><b>EXIR Bullet Junction Box White</b></p>
				
<p><b>CC198-11</b> DS-1280ZJ-DM22</p>	<p><b>CC198-12</b> DS-1280ZJ-S</p>	<p><b>CC198-13</b> DS-1280ZJ-XS</p>	<p><b>CC198-14</b> DS-1280ZJ-DM21</p>	<p><b>CC198-15</b> DS-1260ZJ</p>
<ul style="list-style-type: none"> <li>• Mini Dome Junction Box</li> <li>• White</li> </ul>	<ul style="list-style-type: none"> <li>• EXIR Bullet Power Junction Box</li> <li>• White</li> <li>• Used with CC409-8 / CC409-10 / CC406-1 and CC406-2 Cameras</li> </ul>	<ul style="list-style-type: none"> <li>• Bullet Junction Box</li> <li>• White</li> <li>• Used with CC409-6 / CC409-16 and CC406 Cameras</li> </ul>	<ul style="list-style-type: none"> <li>• Dome Junction Box</li> <li>• White</li> </ul>	<ul style="list-style-type: none"> <li>• EXIR Bullet Junction Box</li> <li>• White</li> <li>• Used with CC409-8 / CC406-1 / CC409-10 and CC406-2 Cameras</li> </ul>

**IP & PTZ CAMERA BRACKETS**

<p><b>PTZ Pendant Mount Bracket White</b></p>	<p><b>PTZ Corner Mount Bracket White</b></p>	<p><b>PTZ Pole Mount Bracket White</b></p>	<p><b>PTZ Wall Mount Bracket White</b></p>	<p><b>Wall Mount Bracket for CC466-2</b></p>
				
<p><b>CC468-2</b> DS-1662ZJ</p> <ul style="list-style-type: none"> <li>• PTZ Pendant Mount Bracket</li> <li>• White</li> <li>• Used with CC98-3 Camera</li> </ul>	<p><b>CC468-3</b> DS-1602ZJ-CORNER</p> <ul style="list-style-type: none"> <li>• PTZ Corner Mount Bracket</li> <li>• White</li> </ul>	<p><b>CC468-4</b> DS-1602ZJ-POLE</p> <ul style="list-style-type: none"> <li>• PTZ Pole Mount Bracket</li> <li>• White</li> </ul>	<p><b>CC468-5</b> DS-1602ZJ</p> <ul style="list-style-type: none"> <li>• PTZ Wall Mount Bracket</li> <li>• White</li> </ul>	<p><b>CC468-11</b> DS-1604ZJ</p> <ul style="list-style-type: none"> <li>• PTZ Wall Mount Bracket</li> <li>• White</li> <li>• Junction Box Included</li> </ul>

**HIKCENTRAL VMS**

<p><b>Pendant Mount Bracket for CC466-2</b></p>	<p><b>Pendant Mounting Bracket for PTZ Camera</b></p>	<p><b>HikCentral Base Licence including 4 Channels</b></p>		
				
<p><b>CC468-12</b> DS-1605ZJ</p> <ul style="list-style-type: none"> <li>• PTZ Wall Mount Bracket</li> <li>• White</li> <li>• Used with CC466-2 Camera</li> </ul>	<p><b>CC468-13</b> DS-1691ZJ-M</p> <ul style="list-style-type: none"> <li>• PTZ Pendant Mount Bracket</li> <li>• White</li> <li>• Used with CC466-2 Camera</li> </ul>	<p><b>CDC100-BASE-4</b> HikCentral -VSS-Base/4Ch</p> <p><b>CDC100-AC-BASE-64</b> HikCentral -VSS-Base/64Ch</p> <ul style="list-style-type: none"> <li>• Base Licences for HikCentral</li> <li>• Base Licence Includes 4 Camera Licences</li> <li>• <b>CDC100-BASE-64</b> Base Licence Includes 64 Camera Licences</li> </ul>	<p><b>CDC100-BASE-300</b> HikCentral -VSS-Base/300Ch</p> <ul style="list-style-type: none"> <li>• Base Licences for HikCentral</li> <li>• Base Licence Includes 300 Camera Licences</li> </ul>	<p><b>CDC100</b> HikCentral -VSS-1Camera</p> <ul style="list-style-type: none"> <li>• Individual camera licences for all HikCentral compatible cameras.</li> <li>• When using HikCentral one of these licences is required per camera</li> </ul>
<p><b>HikCentral ANPR Licence (1 Channel)</b></p>	<p><b>HikCentral Facial Recognition Licence (1 Channel)</b></p>	<p><b>HikCentral Data Reporting Base Licence</b></p>	<p><b>HikCentral Smart Wall Base Licence</b></p>	<p><b>HikCentral PSTOR (1 Channel)</b></p>
				
<p><b>CDC100-ANPR-C</b> HikCentral -ANPR-1Camera</p> <ul style="list-style-type: none"> <li>• HikCentral ANPR Single Camera Licence</li> <li>• Add on to the HikCentral Base Licence</li> </ul>	<p><b>CDC100-FACE</b> HikCentral -FacialReco-1Camera</p> <ul style="list-style-type: none"> <li>• HikCentral Facial Recognition Single Camera Licence</li> <li>• Add on to the HikCentral Base Licence</li> </ul>	<p><b>CDC100-DATA</b> HikCentral-Data Reporting System-Base</p> <ul style="list-style-type: none"> <li>• HikCentral Data Reporting Base Licence</li> <li>• People Counting Reporting</li> <li>• Queue Detection Analysis</li> <li>• Fundamental Report features</li> <li>• Add on to the HikCentral Base Licence</li> </ul>	<p><b>CDC100-SW</b> HikCentral-SmartWall-Base</p> <ul style="list-style-type: none"> <li>• HikCentral Smart Wall Base Licence</li> <li>• Smart Wall Functions</li> <li>• Add on to the HikCentral Base Licence</li> </ul>	<p><b>CDC100-PSTOR</b> pStor-Video Storage-Base/1Ch</p> <p><b>CDC100-PSTOR-BASE</b> pStor-Picture Storage-Base</p> <ul style="list-style-type: none"> <li>• HikCentral PSTOR</li> <li>• Individual camera licences for all HikCentral PSTOR Features.</li> <li>• Add on to the HikCentral Base Licence</li> <li>• <b>CDC100-PSTOR-BASE</b> Base Licence</li> </ul>
<p><b>HikCentral Access Control Base License (2 Door)</b></p>	<p><b>HikCentral Access Control Single Door License</b></p>	<p><b>Hikcentral IP Speaker Module - incl 2 Speaker Licenses</b></p>	<p><b>HikCentral Temperature and Mask Module License</b></p>	<p><b>HikCentral R240 Dell Server SERVER ONLY (Expandable to 3000)</b></p>
				
<p><b>CDC100-AC-BASE</b> HikCentral-P-ACS-Base/2Door</p>	<p><b>CDC100-AC</b> HikCentral-P-ACS-1Door</p>	<p><b>CDC100-IPSM</b> Hikcentral-P-IPspeaker - Module</p>	<p><b>CDC100-TM</b> Temp&amp;Mask-Module</p>	<p><b>CDC999-HC</b> PER240M2-REG</p>
<p><b>CDC100-BASE-16</b> HikCentral-P-ACS-Base/16Door</p> <ul style="list-style-type: none"> <li>• HikCentral Access Control Base Licence</li> <li>• Supports Two Doors</li> <li>• <b>CDC100-BASE-16</b> -Including 16 Door</li> </ul>	<ul style="list-style-type: none"> <li>• HikCentral Access Control Base Licence</li> <li>• Single Door</li> <li>• Add on to the HikCentral Base Licence</li> </ul>	<p><b>CDC100-IPS-1CH</b> Hikcentral-P-IPspeaker - 1unit</p> <ul style="list-style-type: none"> <li>• HikCentral IP Speaker Module Incl 2 Speaker Licenses,</li> <li>• Add on to the HikCentral Base Licence</li> <li>• Supported only on HCP 1.6"</li> <li>• <b>CDC100-IPS-1CH</b> Single IP Speaker Licence</li> </ul>	<ul style="list-style-type: none"> <li>• HikCentral Temp and Mask Module</li> <li>• Only single module required</li> <li>• Used with all Temperature Screening solutions</li> </ul>	<p><b>CDC999-VSS</b> VSS-14SD-2124-5YR</p> <ul style="list-style-type: none"> <li>• HikCentral Server Only</li> <li>• Server Grade Hardware</li> <li>• Pre-installed with Server OS Only</li> <li>• Supports up to 3000 Channels</li> <li>• Special order</li> </ul>

**WORKSTATIONS**

**Entry Level  
CCTV Workstation  
(Maximum 32 Channels)**



**CD52-1** CD52-1

- Tower Workstation
- Maximum 32ch Simultaneous Streams
- Supports IVMS-4200 & HikCentral
- Internal SSD for OS
- 2 x HDMI Outputs
- Windows 10

**Mid Level  
CCTV Workstation  
(Maximum 64 Channels)**



**CD52-2** CD52-2

- Tower Workstation
- Maximum 64ch Simultaneous Streams
- Supports IVMS-4200 & HikCentral
- Internal SSD for OS
- 4 x HDMI Outputs
- Windows 10

**High End  
CCTV Workstation  
(Maximum 128 Channels)**



**CD52-4** CD52-4

- Rackmount Workstation
- Maximum 128ch Simultaneous Streams
- Supports IVMS-4200 & HikCentral
- Internal SSD for OS
- 4 x HDMI Outputs
- Windows 10

**ACCESS CONTROL**

**HIKVISION  
Access Control Secure  
Relay Module**



**LK455** DS-K2M060

- Secure Relay Module
- Interface between Access Module and Door Lock
- Prevents intruder access to lock wiring

**HIKVISION  
671 Face Recognition  
Terminal - IP65 Unit**



**LK460-7-1** DS-K1T671MF

- Wall Mounted
- 7" LCD Touch Screen for Display Interface
- 5000 Face Picture Capacity (JPG and JPEG)
- 6000 Fingerprint Capacity
- 50,000 Event Capacity
- IP65

**HIKVISION  
Mini Face Recognition  
Terminal - 341B**



**LK460-9** DS-K1T341B

- Wall Mounted
- LCD Touch Screen for Display Interface
- 1500 Face Picture Capacity (JPG and JPEG)
- No Biometric function
- 150,000 Event Capacity
- 0.3 - 0.5m Face Detection Distance

**HIKVISION  
Mini Face Recognition  
Terminal - 341A**



**LK460-10** DS-K1T341AMF

- Wall Mounted
- LCD Touch Screen for Display Interface
- 1500 Face Picture Capacity
- 1500 Fingerprint Capacity
- 150,000 Event Capacity
- 0.3 - 0.5m Face Detection Distance

**HIKVISION Mini Face  
Recognition Terminal No  
Biometrics 340/343**



**LK460-12** DS-K1A340WX

**LK460-13** DS-K1A340WX

- Wall Mounted
- LCD Touch Screen for Display Interface
- 1500 Face Picture Capacity
- 1500 Fingerprint Capacity
- 150,000 Event Capacity
- 0.3 - 0.5m Face Detection Distance

**HIKVISION  
Fingerprint Access Control  
Terminal 804**



**LK461** DS-K1T804BMF

- Wall Mounted
- LCD Screen for Display Interface
- 3000 Users
- 3000 Fingerprint Capacity
- 100,000 Event Capacity
- Wiegand Output

**HIKVISION  
Video Access Control  
Terminal 501SF**



**LK461-1** DS-K1T501SF/WIFI

- Wall Mounted
- Supports SD Card Storage
- 3000 Users
- 3000 Fingerprint Capacity
- 200,000 Event Capacity
- 50,000 Card Capacity

**HIKVISION  
Fingerprint Card Reader  
1201MF**



**LK462** DS-K1201AMF

- Wall Mounted
- MiFare Card Reader
- Multiple Authentication Modes
- 5000 Fingerprint Capacity
- Tamper Resistant
- IP65"

**HIKVISION Standalone  
Fingerprint Access Control  
Terminal - K1T201**



**LK462-1** DS-K1T201AMF

- Wall Mounted
- Standalone Terminal
- 2.8" LCD Screen
- 5000 Fingerprint Capacity
- 300,000 Event Capacity
- Support Card and Fingerprint

**HIKVISION  
Fingerprint and Facial  
Enrollment Station**



**LK463** DS-K1F600-D6E-F

- Standalone Station
- Facial Enrollment
- Fingerprint Enrollment
- 3.9" Touchscreen LCD
- TCP/IP Interface
- Requires HikCentral Door Licenses with VMS use

**HIKVISION  
Fingerprint Enrollment  
Reader**



**LK463-1** DS-K1F820-F

- Standalone Station
- Fingerprint Enrollment
- USB 2.0 Interface
- Supports Windows OS

**HIKVISION  
Protective Rainshield for  
Facial Recognition Terminal**



**LK460-8** DS-KAB671-S

- Wall Mounted
- Rainshield for LK460-7-1 Terminal

**IP SPEAKER**

**HIKVISION  
Single Door  
Access Controller**



**LK491** DS-K2601

**LK491-1** DS-K2602

**LK491-4** DS-K2604

- Single Door Controller
- Uplink: TCP/IP and RS485
- Downlink: RS-485 and Wiegand (W26/W34) • Events: 300,000
- 1 x Relay Output • 12VDC 1A
- LK491-1 Double Door Controller
- LK491-4 Four Door Controller

**Hikvision IP Horn Speaker  
IP67 - 118 dB**



**SD100** DS-PA0103-B

- IP Horn Speaker
- 118 dB
- Aluminium casing
- IP67
- Work only with HikCentral V1.6

**INTERCOMS**

**HIKVISION 1-1 Video  
Intercom Kit (with SD Card  
and 4 Port Switch)**



**LK499** DS-KIS602

- 1-1 Video Intercom Kit
- 1 x 7" Touch Screen Indoor Station
- 1 x Video Intercom Module (Surface Mount)
- 1 x 4 Port Switch
- 1 x 16GB SD Card
- 12VDC or POE Power

**HIKVISION  
7" Touch Screen  
Indoor Station**



**LK451-7** DS-KH6320-WTE1

- 7" Touch Screen Indoor Station
- 1024 x 600 Resolution
- 10/100Mbps Ethernet
- 12VDC or POE Power
- 8 Alarm Inputs
- Remote Unlocking Features

**HIKVISION  
Video Intercom Master  
Station**




**LK451-8** DS-KM9503

- 10.1" Touch Screen
- Live View of Door Station and IP Cameras
- Remote Unlocking Function
- 12VDC or PoE
- Hands Free Mode
- Suitable for Wall Mounting

**INTERCOMS**

**HIKVISION 7" Touch Screen Convergence Indoor Station      HIKVISION 1 Module Gate Station Frame Surface mount      HIKVISION Video Intercom Module      HIKVISION Video Intercom Nametag Module      HIKVISION Video Intercom Keypad Module**



**LK451-9**    DS-KH9310-WTE1

- 7" Touch Screen Indoor Station
- Convergence Solution
- Support Android App Installations
- Built in HikConnect
- Video, Intercom, Alarm and IOT Integration
- 1024 x 600

**LK451-1**    DS-KD-ACW1  
**LK451-2**    DS-KD-ACW2  
**LK451-3**    DS-KD-ACW3

- 1 Module Front Panel
- Surface Mounting
- **LK451-2 Supports 2 Modules**
- **LK451-3 Supports 3 Modules**

**LK451**    DS-KD8003-IME1

- 2MP HD Video
- Fisheye Camera with IR Supplement Light
- Access Control Function
- Nametag Customisation
- Used with LK451-1 / LK451-2 or LK451-3 Frames

**LK452**    DS-KD-KK

- Dial the Resident With One Touch
- Backlight Compensation
- Access Control Function
- Nametag Customisation
- Used with LK451-1 / LK451-2 or LK451-3 Frames

**LK453**    DS-KD-KP

- Supports Unlock the Door Via Code
- Call Resident by Entering Room Number
- Backlight Compensation
- Used with LK451-1 / LK451-2 or LK451-3 Frames

**HIKVISION Video Intercom Display Module**

**HIKVISION Video Intercom Blank Module**

**HIKVISION 1 Module Rainshield**

**Micro SD Card 16GB Class 10**

**Micro SD Card 128GB Class 10**



**LK453-1**    DS-KD-DIS  
**LK453-2**    DS-KD-M

- Display Module Paired With Keypad Module
- Dial number display
- Contact list display
- Used with LK451-1 / LK451-2 or LK451-3 Frames
- **LK453-2 MiFare card reader module**

**LK454**    DS-KD-BK

- Blank Module to Fit Empty Slots in the Frame
- Used with LK451-1 / LK451-2 or LK451-3 Frames

**LK458-1**    DS-KABD8003-RS1  
**LK458-2**    DS-KABD8003-RS2  
**LK458-3**    DS-KABD8003-RS3

- Rainshield for 2nd Generation Intercom
- Supports 1 Module
- **LK458-2 Supports 2 Modules**
- **LK458-3 Supports 3 Modules**

**CH54**    SDSQUNS-016G-GN3MA  
**CH54-1**    SDSQUNS-032G-GN3MA  
**CH54-2**    SDSQUNS-064G-GN3MA

- SD Card for Surveillance Recording
- Class 10
- 16GB Capacity"
- **CH54-1 32GB**
- **CH54-1 64GB**

**CH54-3**    SDSQUNS-128G-GN3MA  
**CH54-4**    SDSQUNS-256G-GN3MA

- SD Card for Surveillance Recording
- Class 10
- 128GB Capacity"
- **CH54-4 256GB**

**SEAGATE SKYHAWK™ SURVEILLANCE HDDS**

**Seagate SkyHawk™ Surveillance AI Hard Drive 1TB SATA 3.5"**

**Seagate SkyHawk™ Surveillance AI Hard Drive 3TB SATA 3.5"**



**CH22-6**    ST1000VX005  
**CH22-8**    ST2000VX008

- 1TB HDD Capacity
- Optimised for Surveillance Storage Applications
- SkyHawk Health Management
- 3.5" Size SATA
- **CH22-8 2TB HDD Capacity**

**CH22-9**    ST3000VX010  
**CH22-10**    ST4000VX007

- 3TB HDD Capacity
- Optimised for Surveillance Storage Applications
- SkyHawk Health Management
- 3.5" SATA
- **CH22-10 4TB HDD Capacity**

**Seagate SkyHawk™ Surveillance AI Hard Drive 6TB SATA 3.5"**

**Seagate SkyHawk™ Surveillance AI Hard Drive 8TB SATA 3.5"**



**CH22-11**    ST6000VX0023

- 6TB HDD Capacity
- Optimised for Surveillance Storage Applications
- SkyHawk Health Management
- 3.5" SATA

**CH22-12**    ST8000VN0022

- 8TB HDD Capacity
- Optimised for Surveillance Storage Applications
- SkyHawk Health Management
- AI Drive
- 3.5" Size
- SATA

**SkyHawk Surveillance Hard Drives**

**SEAGATE**

**The Superior NAS Drive**

**IRONWOLF NAS**


**SEAGATE SKYHAWK™ SURVEILLANCE HDDS**

**Seagate SkyHawk™ Surveillance AI Hard Drive 10TB SATA 3.5"**



- CH22-13** ST10000VE0001
- CH22-14** ST12000VE0001
- 10TB HDD Capacity
- Optimised for Surveillance Storage Applications
- SkyHawk Health Management
- AI Drive
- 3.5" SATA
- CH22-14 12TB HDD Capacity

**Seagate 2TB Portable HDD 2.5"**



- CH80** STEA2000400
- 2TB HDD Capacity
- 2.5" Size
- SATA

**SEAGATE IRONWOLF™ NAS HDDS**

**Seagate IronWolf NAS Hard Drive 4TB SATA 3.5"**



- CH22-10N** ST4000VN008
- 4TB HDD Capacity
- Optimised for NAS Applications
- IronWolf Health Management
- 3.5" SATA

**Seagate IronWolf NAS Hard Drive 6TB SATA 3.5"**



- CH22-11N** ST6000VN0001
- CH22-12N** ST4000VN004
- 6TB HDD Capacity
- Optimised for NAS Applications
- IronWolf Health Management
- 3.5" SATA
- CH22-12N 8TB HDD Capacity

**Seagate IronWolf NAS Hard Drive 10TB SATA 3.5"**



- CH22-13N** ST10000VN000
- CH22-14N** ST12000VN0008
- 10TB HDD Capacity
- Optimised for NAS Applications
- IronWolf Health Management
- 3.5" SATA
- CH22-14N 12TB HDD Capacity

**SEAGATE EXOS HDDS**

**Seagate IronWolf NAS Hard Drive 14TB SATA 3.5"**



- CH22-15N** ST14000NE0008
- CH22-16N** ST16000NE000
- 14TB HDD Capacity
- Optimised for NAS Applications
- IronWolf Health Management
- 3.5" Size
- SATA
- CH22-16N 16TB HDD Capacity

**Seagate EXOS Enterprise HDD 8TB SAS 3.5"**



- CH23-8** ST8000NM001A
- 8TB HDD Capacity
- EXOS Enterprise HDD
- Used with Hikvision CVR's (D Model)
- 3.5" Size
- SAS

**Seagate EXOS Enterprise HDD 10TB SATA 3.5"**



- CH23-10** ST10000NM0010G
- 10TB HDD Capacity
- EXOS Enterprise HDD
- Used with Hikvision CVR's (S Model)
- 3.5" Size
- SATA

**MONITORS**

**Hikvision LED Monitor 18.5" - VGA and HDMI 1366 X 768 - VESA Mount**



- CM18** DS-D5019QE-E
- LED - Backlit TFT LCD
- VGA and HDMI Inputs
- 18.5" Size
- VESA Mounting
- 600:1 Contrast

**CABLES**

**Hikvision UTP Cable (4-Pair) CAT 5E - 305m Roll PVC Sheath**



- CB66-2** DS-1LN5E-S
- 305m Roll CAT 5E
- Pure Copper
- PVC Sheath
- Wooden Tray and Carton

**Hikvision UTP Cable (4-Pair) CAT 6E - 305m Roll PVC Sheath**



- CB66-3** DS-1LN6 - UU
- 305m Roll CAT 6E
- Pure Copper
- PVC Sheath
- Wooden Tray and Carton

**Hik-ProConnect**  
Convergent security service solution

Seamlessly & remotely connect, and maintain your clients' security networks.

**CONTACT US**

**BRANCHES**

- Gauteng**
- Alberton: 087 537 4166
  - Balfour Park: 011 640 2288
  - Boksburg: 011 918 8505
  - Centurion: 012 653 0653
  - Edenvale: 011 453 0229
  - Fourways: 011 467 8817
  - JHB South (Xavier): 011 433 8943
  - Krugersdorp: 087 092 8100
  - Linden: 011 888 5666
  - Longmeadow: 011 454 8009
  - Lynnwood: 012 460 4550
  - Midrand: 011 312 7576
  - Montana: 087 802 3939
  - Roodepoort (West): 011 760 1149
  - Strijdom Park: 011 791 4770
  - Vanderbijlpark: 016 931 0116

- Eastern Cape**
- East London: 043 735 4537
  - Port Elizabeth: 041 364 3885
- Free State**
- Bloemfontein: 051 447 6969
- KwaZulu Natal**
- Durban: 031 263 0901
  - Pietermaritzburg: 087 803 4544
  - Pinetown: 031 701 3222

- Mpumalanga**
- Emalaheni: 013 656 4140
  - Mbombela: 013 753 2831
- Limpopo**
- Polokwane: 015 296 0531
- Western Cape**
- Bellville: 021 949 6330
  - George: 087 537 4155
  - Northgate (Brooklyn): 021 510 1411
  - Sybrand Park: 021 697 4777

**CUSTOMER SUPPORT**

- Accounts**
- Email: accounts@regalsecurity.co.za
- Sales**
- Email: sales@regalsecurity.co.za
- National Support Centre**
- Tel: 087 802 3920
  - Email: nsc.support@regalsecurity.co.za

**Need Technical Support?**  
Call ANY Regal branch and dial 2

SCAN TO VIEW ALL REGAL E-BROCHURES